FIG. 1




FIG. 2a




FIG. 2b




FIG. 3




FIG. 4




FIG. 5a




FIG. 5b





FIG. 5c






FIG. 7




FIG. 8a




FIG. 8b




FIG. 9




FIG. 10




FIG. 11a





FIG. 11b







FIG. 13






FIG. 15a




FIG. 15b




FIG. 15c




FIG. 16a




FIG. 16b




FIG. 17a





FIG. 17b






FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23a




FIG. 23b




FIG. 24




FIG. 25




FIG. 26





FIG. 27



化分子 医光色 化二氯 医阿尔克德氏 医克洛 医二氯甲二二氯甲基苯

 $2.5 \mathbin{/\!/} 3.5$ 

FIG. 28




FIG. 29





FIG. 30



人名 化电子 医 经工作 医结节 人名英格兰 医甲基二二异丙二

FIG. 31





FIG. 32



化多种 经分别 医二苯丙烯二甲基苯二酚 医甲基二酚 经汇汇 计记忆器

FIG. 33a




FIG. 33b




FIG. 33c




FIG. 34





FIG. 35a



## FIG. 35b




FIG. 36a




FIG. 36b




FIG. 37a




FIG. 37b






FIG. 37c







design value of the overlapping width ( $\mu m$ )